

READ SAFETY DIRECTIONS BEFORE OPENING OR USING  
FOR ANIMAL TREATMENT ONLY

COVINE  
**CLIPSHIELD™**  
LIQUID BLOWFLY TREATMENT FOR SHEEP

**ACTIVE CONSTITUENT: 500 g/L CYROMAZINE**

Protects long wool sheep for up to 14 weeks from strike by blowfly  
(*Lucilia cuprina*), including organophosphate resistant strains when applied by  
jetting or dipping.



SAP100534326\_1017



**(covine)®**

**5L**

## READ DIRECTIONS FOR USE BEFORE USING THIS PRODUCT.

### DIRECTIONS FOR USE:

#### Restraints:

**DO NOT USE** on ewes which are producing or may in the future produce milk that may be used or processed for human consumption.

**DO NOT USE** on sheep with less than 6 weeks wool as a reduced period of protection may result.

**DO NOT** collect and re-use fluid which runs off.

**Contraindications:** This product is contraindicated for use on animals with open wounds (e.g. those resulting from marking or mulesing operations).

#### Dosage and Administration:

##### Shake well before use.

Dipping sheep heavily infested with grass seeds is not recommended. Heavy rain following the application of this product could diminish the period of protection. If used in jetting races a reduced period of protection may result.

#### MIXING

Setting may occur after storage for some weeks. Stir product or invert container several times before opening. Pour the liquid into the vat through a strainer to remove any dry particles or flakes which can occasionally occur under hot storage conditions. Stir well. This product is readily dispersible in both soft and hard water.

ANIMAL/ PEST	TREATMENT	INITIAL CHARGE	TOPPING UP	CRITICAL COMMENTS
Sheep Blowfly control ( <i>Lucilia cuprina</i> )	Jetting	2 L per 1000 L	–	1. Jet at onset of blowfly wave. 2. This product is not recommended for use in jetting races because a reduced period of protection may result unless the jetting race has been modified in accordance with Agriculture NSW recommendations. 3. Apply 2 to 4 L of jetting fluid per sheep, depending on sheep size and wool length. 4. Ensure saturation to the skin. 5. Pay particular attention to treatment of the crutch, pizzles and polls.
	Dipping (Plunge – Shower and constant replenishment)	2 L per 1000 L	2 L per 1000L	1. Dip sheep at onset of fly wave. 2. Thoroughly saturate sheep. When using a shower dip, run top and bottom sprays independently so as to ensure maximum pressure and therefore penetration. 3. The product should not be used alone as a dip for blowfly control on sheep with less than 6 weeks wool as a reduced period of protection may result. 4. This product is a non-stripping dip. Reinforcement with undiluted concentrate is not required when topping up.

ANIMAL/ PEST	TREATMENT	INITIAL CHARGE	TOPPING UP	CRITICAL COMMENTS
Sheep Blowfly control ( <i>Lucilia cuprina</i> )	Dressing	2 L per 1000 L	–	1. Clip the wool surrounding the strike, treat the struck area and the surrounding wool with a recommended knock down product then thoroughly jet the sheep with CLIPSHIELD LIQUID. 2. The product is a slow killing larvicide and when used on its own, larvae may take 3 to 4 days to die.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### General Directions:

#### MAINTENANCE OF DIPS

1. Clean out dip, sump and spray lines thoroughly before charging. Disinfect with a registered bacteriostat at the manufacturer's recommended rate.
2. DO NOT use old fouled wash. Shower dips should be emptied and cleaned out at the end of each day's dipping. Plunge dips should be emptied and cleaned out within 5 days of charging and more frequently if conditions favour post-dipping lameness infection, except in WA where plunge dips and sumps should be emptied daily.
3. Before use, stir well.

#### JETTING

Jet the sheep at onset of fly wave with efficient equipment which is able to maintain the pressure of about 550kPa for lambs and ewes in lamb.

#### BACTERIOSTAT

This product does not contain a bacteriostat. For control of post dipping infections a registered bacteriostat should be added at the manufacturer's recommended rate.

#### WITHHOLDING PERIODS:

**MEAT: DO NOT USE less than 7 days before slaughter for human consumption.**

**MILK: DO NOT USE on ewes which are producing or may in the future produce milk that may be used or processed for human consumption.**

**WOOL HARVEST INTERVAL: DO NOT USE less than 2 months before shearing or fibre collection.**

**TRADE ADVICE – EXPORT SLAUGHTER INTERVAL (ESI): DO NOT use for less than 21 days before slaughter for export. The ESI was correct at the time of label approval. Before using this product, confirm the current ESI from Relyon (Australia) Pty Ltd on (02) 9952 6666 or the APVMA website ([www.apvma.gov.au/residues](http://www.apvma.gov.au/residues)).**

**Use of this product may result in wool residues that may not comply with European Union environmental quality standard.**

**Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers.**

**SAFETY DIRECTIONS:** May irritate the eyes and skin. Avoid contact with the eyes and skin. When opening the container and preparing the dip or jetting fluid, wear cotton overalls buttoned to the neck and wrist and washable hat, elbow length PVC gloves. When using the prepared dip or jetting fluid, wear protective waterproof clothing, PVC or rubber apron, elbow-length PVC gloves, face shield and water resistant footwear. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves, face shield and contaminated clothing.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre.  
Phone Australia 13 11 26.

**ADDITIONAL USER SAFETY INFORMATION:**

**Sheep Rehandling Interval:** After treatment wait until sheep are dry before rehandling.  
Additional information is listed in the safety data sheet.

**ENVIRONMENTAL PROTECTION:** Do not contaminate dams, rivers, streams or other waterways with the chemical, discarded sump solution or used container

**DISPOSAL:** Triple-rinse container into the dip vat. Do not dispose of undiluted chemicals on-site. If the container has the drumMUSTER logo visible, and has been thoroughly cleaned and dried, and is free of any visible residues, it can be recycled at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be recycled separately with the container. If not recycling, break, crush or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

**STORAGE:** Store below 30°C (room temperature), in original containers, tightly closed. DO NOT store for prolonged periods in sunlight. KEEP OUT OF REACH OF CHILDREN.

**CONDITIONS OF SALE:**

Any provision or rights under the Australian Consumer Law which cannot be excluded by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies expressed or implied under common law, statute or otherwise, in relation to the sale, supply, storage, use or application of this product are excluded. Ruralco Holdings Ltd and/or its associated entities shall not accept any liability (including consequential loss and/or negligence) for any loss or damage connected with the sale, supply, storage, use or application of this product except for liability which cannot be excluded by statute.

**IN A TRANSPORT EMERGENCY  
DIAL: 000  
POLICE OR FIRE BRIGADE**



Batch No.

EXP:

APVMA Approval No: 83885/109184

**(covine)<sup>®</sup>**

Relyon (Australia) Pty Ltd  
Level 5, Building A, 26 Talavera Road, Macquarie Park, NSW 2113  
ABN 34 607 057 232 ACN 607 057 232 Phone (02) 9952 6666  
covine.com.au

COVINE<sup>®</sup> is a registered trademark of Relyon (Australia) Pty Ltd.  
CLIPSHIELD<sup>™</sup> is a trademark of Relyon (Australia) Pty Ltd.